

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1709	(modif\$4 setting set\$1) near3 (operating adj voltage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:28
S2	49	S1 with (processor\$1 CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 05:49
S3	1	S2 same antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 05:49
S4	1	S2 same wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 05:50
S5	17	S2 with control\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:04
S6	3118	713/300,320.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 05:51
S7	1	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 05:51
S8	95	(mode near3 operation) near3 ((setting modif\$4) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:06

S9	1	S8 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:06
S10	2	S8 near5 (processor CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:06
S11	5044	(mode near3 operation) near3 (processor cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:27
S12	2	(mode near3 operation) near3 (processor cpu) near3 ((setting modif\$4) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:07
S13	2	(mode near3 operation) near3 (processor cpu) near5 ((setting modif\$4) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:07
S14	3	(mode near3 operation) near3 (processor cpu) with ((setting modif\$4) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:23
S15	275	(determin\$4 noting) near3 S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:27
S16	2	S15 same ((setting modif \$4) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:27

S17	353054	(mode near3 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:27
S18	9739	(determin\$4 noting) near3 S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:27
S19	11	S18 same ((setting modif \$4) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:15
S20	36160	wireless near3 connection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:16
S21	5562	S20 near3 (device computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:16
S22	6783	S20 near3 (device\$1 computer\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:16
S23	76	S22 near3 (antenna dipole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:17
S24	27	S23 near3 communicat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:18

S25	0	S24 same (power near3 (conserv\$7 consum\$7 sav \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:20
S26	3118	713/300,320.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:18
S27	0	S24 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:18
S28	282	S20 same (power near3 (conserv\$7 consum\$7 sav \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:21
S29	157	S28 same device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:21
S30	10	S29 same (antenna dipole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 10:00
S31	2	"5809315".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 10:00
S32	1774	(modif\$4 setting set\$1) near3 (operating adj voltage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57

S33	58	S32 with (processor\$1 CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S34	18	S33 with control\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S35	3435	713/300,320.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S36	1	S34 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S37	99	(mode near3 operation) near3 ((setting modif\$4) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S38	1	S37 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S39	5237	(mode near3 operation) near3 (processor cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S40	293	(determin\$4 noting) near3 S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57

S41	2	S40 same ((setting modif \$4) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S42	40517	wireless near3 connection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S43	7587	S42 near3 (device\$1 computer\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S44	79	S43 near3 (antenna dipole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S45	28	S44 near3 communicat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S46	312	S42 same (power near3 (conserv\$7 consum\$7 sav \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S47	175	S46 same device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S48	11	S47 same (antenna dipole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57

S49	828	(process\$4 near3 wireless adj signal\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:37
S50	2853	(process\$4 near3 (wireless radio) adj (signal\$1 message\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:38
S51	304253	(modif\$4 chang\$4 adjust \$4) near3 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:43
S52	1272	S51 near3 (processor cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:41
S53	0	S50 with S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:40
S54	0	S50 same S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:40
S55	0	S50 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:40
S56	130	S50 near3 (processor CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:41

S57	431	S50 near3 (transmitter receiver processor CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:41
S58	2484	S51 near3 (transmitter receiver processor cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:42
S59	0	S57 with S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:42
S60	0	S57 same S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:42
S61	2	S57 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:42
S62	1267	(modif\$4 chang\$4 adjust \$4) near3 voltage near3 (transceiver transmitter receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:45
S63	3706	713/300,320.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:44
S64	1	S63 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:44

S65	91	S62 same (sleep idle active standby mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:46
S66	304253	(modif\$4 chang\$4 adjust \$4) near3 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 13:13
S67	1272	S66 near3 (processor cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 13:14
S68	126208	(processor cpu) near3 (sleep idle active mode operation standby)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 13:15
S69	45	S67 near7 S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 13:15
S70	39	S67 near3 S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 13:15
S71	0	("2005/0223244").URPN.	USPAT	OR	ON	2007/02/28 13:19
S72	304253	(modif\$4 chang\$4 adjust \$4) near3 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 14:41
S73	1272	S72 near3 (processor cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 14:41

S74	126208	(processor cpu) near3 (sleep idle active mode operation standby)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 14:41
S75	39	S73 near3 S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 14:47
S76	3976	process\$4 near3 ((radio wireless) adj signal\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 14:48
S77	490	S76 near3 (CPU processor microprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 15:23
S78	3706	713/300,320.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 14:48
S79	1	S77 and S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 14:48
S80	1562	sens\$4 near3 power near3 (processor cpu microprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:05
S81	67362	determin\$4 near3 (((mode state) near2 operation) sleep hibernate idle active idle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:06

S82	0	S80 near7 S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:06
S83	1	S80 with S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:06
S84	1	S80 same S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:06
S85	56	S80 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:07
S86	4085	713/300,320.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:07
S87	2	S85 and S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:57
S88	0	S81 near5 (((based adj on) (according adj to)) near3 (power near3 (processor cpu microprocessor)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:59
S89	145	(modify\$4 chang\$4 adjust \$4 switch\$4) near3 voltage near3 (processor microprocessor cpu (processing adj unit)) near3 (mode state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:31

S90	4462	713/300,320.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:31
S91	31	S89 and S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:32
S92	11995	(anticipated expected) near3 (mode state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/05 13:40
S93	165	S92 near3 (processor CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/05 13:40
S94	165	S92 near3 (processor CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/05 13:41
S95	10	S94 with (adjust\$4 chang \$4 modify\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/05 13:42
S96	698	(anticipated expected) near3 (mode state) near3 (chang\$4 switch\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/05 13:47
S97	44	(detect\$4 determin\$4) near3 S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/05 13:48

S98	667887	(adjust\$4 chang\$4 modify \$4) near3 (voltage current power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/05 13:49
S99	7	S97 same S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/05 13:49

8/ 5/ 2008 3:46:43 PM

C:\Documents and Settings\mbrown7\My Documents\EAST\Workspaces\10811864.wsp